

GT3-U22-FD

## ATX case

Advanced cable management routes

Interior black coating

Able to install front and rear fan for better thermal conditions

Bottom mounted PSU design



# GT3-U22-FD

## ATX case

|                  |   |
|------------------|---|
| Drive Bays       | External 5.25" Drive Bays: x 4<br>Internal 3.5" Drive Bays: x 4 |
| Front I/O Access | USB 2.0 x 2 / Audio x 1 / Mic x 1                               |
| Expansion Slots  | 7 Slots   |
| Mainboard        | ATX, Micro-ATX  |
| Power Supply     | P/S2 ATX  |
| Ventilation      | 1 x 120mm front fan   |
| Fan Delay Board  | 1 (optional)  |
| Colour           | black   |
| Chassis          | metal   |
| Dimensions       | 495mm (D) x 180mm(W) x 431mm (H)                                |



Our prices are subject to change without notice and excl. VAT and shipping costs. Printing mistakes reserved

# GTX-U322D-FD

JOUJYE unique fan delay design: If used with JOUJYE Multi-link PSU


Connected together with our BW-BxxxJL PSU can control up to 3 system fans which can run 10min/20min after system shut down

BW-BxxxJL PSU with patented linking function!  
JouJye Silent Technology with Soft-Mount Rubber Cushions with 100% 105°C Japanese Capacitors  
80Plus Bronze certified

Our prices are subject to change without notice and excl. VAT and shipping costs. Printing mistakes reserved

## Optionals

### Fan delay board



### 12cm Fans



### Power Supply



**BEST CHOICE 2011  
JURY'S SPECIAL**